
DESERET TEST CENTER FORT DOUGLAS UTAH

EFFECT OF SURFACE AND AIR TRANSPORTATION ON PETRI DISHES.(U)

APR 70 H LEFKOWITZ

DTC-TB-54

NL AD-A040 368 UNCLASSIFIED NL OF AD A040368 END DATE FILMED 7-77



S. ARM AD A 040368

RDTE PROJECT NO. 5-00-473-933-001 USATECOM PROJECT NO. DTC PROJECT NO. TB - 54

TECHNICAL NOTE

EFFECT OF SURFACE AND AIR TRANSPORTATION ON PETRI DISHES.

Harry H. /Lefkowitz

April 1970



DESERET TEST CENTER Fort Douglas, Utah

DISTRIBUTION STATEMENT A Approved for public releases

Distribution Unlimited


ical Library - sway, Utah 84022

### ABSTRACT

Highly perishable petri dishes destined for use at distant locations can best be transported by air shipment using packaging procedures recommended in these studies.

## TABLE OF CONTENTS

ı.	INTRODUCTION	Page 1
II.	MATERIALS AND METHODS	
III.	RESULTS AND DISCUSSION	2
IV.	SUMMARY	
	TABLES	3 - 6
	DISTRIBUTION LIST	7



#### I. INTRODUCTION

Petri dishes used for biological assessment at remote testing sites can be prepared at the test location or can be prepared in previously established laboratories and shipped to the site. The latter method offers significant economies mainly from labor and construction costs. Shipment of prepared plates, whether by air or by surface, entails considerable packaging and handling. Air shipment subjects the packages of prepared petri dishes to varying environmental conditions effected by changes in barometric pressures. It must be noted, moreover, that the physical act of handling cardboard packages produces a pumping action of air into and out of the package. (This action can serve as a means of introducing contamination into the package). The petri dishes are generally packed as ten units in plastic bags, with fifty of the plastic bags per cardboard carton (shipping container).

#### II. MATERIALS AND METHODS

Slides were designed to determine the effects of surface (truck) and air transportation on petri dishes (150 x 15 mm) containing Casitone Agar. Also studied were the effects attributable to methods of closing the plastic bags and sealing of boxes. The two treatments were by truck and air shipments (separately) to California and return; all packages were returned by the respective method of shipment. After return to Baker Laboratory the packages were opened and all plates examined for contamination, excess moisture, excess drying and then were inoculated with 0.2 ml SM to evaluate the ability to support quantitative growth of simulants.

#### III. RESULTS AND DISCUSSION

Plates shipped by truck showed a greater amount of contamination than plates shipped by air. There was no appreciable difference in contamination levels between tied and sealed boxes shipped by truck. There appears to be no significant difference between plastic bag treatments for shipment by truck. These data are presented in Table I.

In the case of air shipment, sealed boxes offered better protection against contamination than was noted for tied boxes. There appeared to be no real differences among plastic bag treatments for air shipment. These data are presented in Table II.

Control data for plates not shipped are presented in Table III.

No significant differences were observed in the ability of the plates to quantitatively support growth of SM regardless of the treatment. These data are presented in Table IV. Neither excess moisture nor excess drying were evidenced on any of the plates of any treatment condition.

Table V presents a summary of contamination levels noted for all treatment conditions.

#### IV. SUMMARY

Aside from costing considerations not presented in this report, the recommended method for shipping prepared petri dishes is by air, and to contain the dishes in closed plastic bags packaged in sealed (taped openings) cardboard cartons.

TABLE I
Truck to California (Returned 1 July 1969)

		Tied Box-A		Sealed Box-B			
	Tied-T	Sealed-S	Vented-V	Tied-T	Sealed-S	Vented-V	
Rep. 1	1/10 (1m)	2/10 (2m)	3/10 (lm)	0/10	5/10	1/10	
Rep. 2	2/10 (2m)	2/10	3/10	5/10 (5m)	0/10	1/10 (lm)	
Rep. 3	0/10	3/10 (2m) (1ss)	0/10	3/10	1/10	0/10	
Totals	3/30 (3M)	7/30 (4m) (1ss)	6/30 (lss) (lm)	8/30 (5m)	6/30	2/30 (lm)	

m=mold
ss=sub-surface colonies

TABLE II
Air-freight to California (Returned 1 July 1969)

	Tied Box-	<u>A</u>		Sealed Box -B			
Tied-T	Sealed-S	Vented-V	Tied-T	Sealed-S	Vented-V		
4/10	3/10	1/10	0/10	1/10	1/10		
1/10	2/10	1/10	0/10	0/10	0/10		
<u>0/10</u> 5/30	<u>0/10</u> 5/30	<u>2/10</u> 4/30	1/10 1/30	<u>0/10</u> 1/30	<u>4/10</u> 5/30		

TABLE III
Shipping Controls (Stored in Room - Baker Laboratory)

	Tied Box-	<u>A</u>	Sealed Box - B			
Tied-T	Sealed-S	Vented-V	Tied-T	Sealed-S	Vented-V	
0/10	0/10	0/10	0/10	0/10	0/10	
0/10	1/10	0/10	0/10	1/10	1/10	
0/10	0/10	1/10	0/10	0/10	0/10	
0/30	1/30	1/30	0/30	1/30	1/30	

TABLE IV

Quality Control (All Plates Inoculated From the Same SM Suspension)

										Average	Range
I-A-T	209	215	220	241	247	220	227	214	253	2046	209-253
I-A-S	199	194	201	189	237	221	231	225	cont.	9 1697 8	189-237
I-A-V	198	220	188	236	224	216	239	205	222	1948	188-239
I-B-T	255	242	220	226	230	221	203	208	239	2044	203-242
I-B-S	222	244	212	223	253	cont.	234	255	221	1864	212-255
I-B-V	243	218	234	201	237	225	211	268	249	<u>2086</u>	201-268
II-A-T	232	238	246	230	223	238	219	221	218	2065	218-246
II-A-S	212	219	252	219	259	242	206	214	241	2064	206-259
II-A-V	238	225	258	242	240	236	233	226	247	2145	225-258
II-B-T	239	231	248	223	247	235	231	217	216	2087	216-248
II-B-S	214	233	207	258	195	222	240	214	260	2043	195-258
II-B-V	211	202	220	218	223	226	239	241	236	2016	202-241
III-A-T	218	269	234	224	234	233	218	222	232	2084	218-269
III-A-S	cont.	242	236	238	245	211	242	233	219	<u>1866</u>	211-245
III-A-V	242	230	222	226	234	227	231	231	238	2081	222-242
III-B-T	205	215	210	243	236	218	235	232	230	2024	205-245
III-B-S	257	240	231	227	195	210	229	239	210	2038	195-257
III-B-V	240	238	217	217	229	212	214	239	216	2022	212-239
A= Tied	Box	В	= Seal	ed Box		T=Tie	d Slee	ve	S=Seal	ed Sleeve	

A= Tied Box B= Sealed Box T=Tied Sleeve S=Sealed Sleeve V=Vented Sleeve I= Truck II= Air III= Control (Not Shipped)

TABLE V
Treatment Total Number of Contaminated Plates

I.	32/180	A.	32/270	
II.	21/180	в.	25/270	
III.	4/180	T.	17/180	
		s.	21/180	
		v.	19/180	

A = Tied Boxes

B = Sealed Boxes

T = Tied Bags

S = Sealed Bags

V = Vented Bags

I = Truck

II = Air

III = Control

# DISTRIBUTION LIST

STEPD-PT-AD(S)	,
SC(S)	ī
PT-RM(D)	
TT(S)	
TO(S)	î
PA(S)	į
PA-BS(S)	1
TO-TD(D)	1
TT-CD(D)	Ţ.
TT-JP-L(S)	ī
TT-JP-L(D)	į.
TT-JP-I(S)	ī
PA-MT(D)	ī
TT-BD(D)	23

UNCLASSIFIED					
Security Classification					
	NT CONTROL DA				
(Security classification of title, body of abstract a  1. ORIGINATING ACTIVITY (Corporate author)	nd indexing annotation		ECURITY CLASSIFICATION		
Biological Division			lassified		
Technology & Technical Support Dir.		26. GROUP			
Deseret Test Center, Dugway, Utah					
3. REPORT TITLE					
EFFECT OF SURFACE AND AIR TRANSPORTA	TION ON PETRI	DISHES			
4. DESCRIPTIVE NOTES (Type of report and inclusive date	(4)				
Technical Note					
5. AUTHOR(S) (First name, middle initial, last name)					
V 1.61					
Harry Lefkowitz					
6. REPORT DATE	7a. TOT	AL NO. OF PAGES	76. NO. OF REFS		
April 1970		11	-		
SE. CONTRACT OR GRANT NO.	94. ORI	GINATOR'S REPORT NUM	MER(S)		
		/			
b. PROJECT NO. RDT&E # 1X665704D63404	DI	DTC TB - 54			
- TRMS # 5-CO-473-933-001	96. ОТН	ER REPORT NO(S) (Any o	other numbers that may be seeigned		
	thie	report)			
d.					
10. DISTRIBUTION STATEMENT		-14-	4		
Thi document my be further district	red by h	older olly with	seciff prior		
Discourse 84 12		ATTACA	D- Table (Describer C		
11. SU LEMENTARY NOTES	12. SPO	NSORING MILITARY ACT	IVITY		
13. ABSTRACT					
Highly perishable petri dishes	destined for	use at distant	locations can best be		
transported by air shipment using pa	ackaging proce	dures recommend	ed in these studies.		
KEY WORDS: Petri dishes					
KEY WORDS: Petri dishes Transportation					
Packaging					
Remote laboratory suppor	rt				
Remote laboratory suppor					

DD PORM 1473 REPLACES DO FORM 1473, 1 JAN 64, WHICH IS

Unclassified Security Classification

PRINTED IN U.S.A.

GAYLORD

DTC.	TN TB-54	cy 2
1		

